

Vegetation Structure

Prof Heiko Balzter

Suggested further reading

- Anderson, J., M.E. Martin, M.L. Smith, R.O. Dubayah, M.A. Hofton, P. Hyde, B.E. Peterson, J.B. Blair, and R.G. Knox. 2006. The use of waveform lidar to measure northern temperate mixed conifer and deciduous forest structure in New Hampshire. *Remote Sensing of Environment* 105:248-261.
- Askne, J.I.H., P.B.G. Dammert, L.M.H. Ulander, and G. Smith. 1997. C-band repeat-pass interferometric SAR observations of the forest. *IEEE Transactions On Geoscience and Remote Sensing* 35:25-35.
- Aziz, H.K., and K. White. 2003. Using mimics to model L-band SAR backscatter from a peat swamp forest. *Journal of Tropical Forest Science* 15:546-556.
- Balzter, H. 2001. Forest mapping and monitoring with interferometric synthetic aperture radar (InSAR). *Progress in Physical Geography* 25:159-177.
- Balzter, H., E. Talmon, W. Wagner, D. Gaveau, S. Plummer, J.J. Yu, S. Quegan, M. Davidson, T. Le Toan, M. Gluck, A. Shvidenko, S. Nilsson, K. Tansey, A. Luckman, and C. Schmullius. 2002c. Accuracy assessment of a large-scale forest cover map of central Siberia from synthetic aperture radar. *Canadian Journal of Remote Sensing* 28:719-737.
- Balzter, H., F.F. Gerard, C.T. George, C.S. Rowland, T.E. Jupp, I. McCallum, A. Shvidenko, S. Nilsson, A. Sukhinin, A. Onuchin, and C. Schmullius. 2005. Impact of the Arctic Oscillation pattern on interannual forest fire variability in Central Siberia. *Geophysical Research Letters* 32.
- Balzter, H., J.R. Baker, M. Hallikainen, and E. Tomppo. 2002a. Retrieval of timber volume and snow water equivalent over a Finnish boreal forest from airborne polarimetric Synthetic Aperture Radar. *International Journal of Remote Sensing* 23:3185-3208.
- Balzter, H., L. Skinner, A. Luckman, and R. Brooke. 2003a. Estimation of tree growth in a conifer plantation over 19 years from multi-satellite L-band SAR. *Remote Sensing of Environment* 84:184-191.
- Beaudoin, A., T. Letoan, S. Goze, E. Nezry, A. Lopes, E. Mougins, C.C. Hsu, H.C. Han, J.A. Kong, and R.T. Shin. 1994. Retrieval of Forest Biomass From SAR Data. *International Journal of Remote Sensing* 15:2777-2796.
- Bradbury, R.B., R.A. Hill, D.C. Mason, S.A. Hinsley, J.D. Wilson, H. Balzter, G.Q.A. Anderson, M.J. Whittingham, I.J. Davenport, and P.E. Bellamy. 2005. Modelling relationships between birds and vegetation structure using airborne LiDAR data: a review with case studies from agricultural and woodland environments. *Ibis* 147:443-452.
- Brock, J.C., C.W. Wright, A.H. Sallenger, W.B. Krabill, and R.N. Swift. 2002. Basis and methods of NASA airborne topographic mapper lidar surveys for coastal studies. *Journal of Coastal Research* 18:1-13.
- Devereux, B.J., G.S. Amable, P. Crow, and A.D. Cliff. 2005. The potential of airborne lidar for detection of archaeological features under woodland canopies. *Antiquity* 79:648-660.

- Dobson, M.C., F.T. Ulaby, L.E. Pierce, T.L. Sharik, K.M. Bergen, J. Kellndorfer, J.R. Kendra, E. Li, Y.C. Lin, A. Nashashibi, K. Sarabandi, and P. Siqueira. 1995. Estimation of Forest Biophysical Characteristics in Northern Michigan With Sir-C/X-Sar. *IEEE Transactions On Geoscience and Remote Sensing* 33:877-895.
- Ferrazzoli, P., S. Paloscia, P. Pampaloni, G. Schiavon, S. Sigismondi, and D. Solimini. 1997. The potential of multifrequency polarimetric SAR in assessing agricultural and arboreous biomass. *IEEE Transactions On Geoscience and Remote Sensing* 35:5-17.
- Gaveau, D.L.A., H. Balzter, and S. Plummer. 2003. Forest woody biomass classification with satellite-based radar coherence over 900 000 km² in Central Siberia. *Forest Ecology and Management* 174:65-75.
- Goodwin, N.R., N.C. Coops, and D.S. Culvenor. 2006. Assessment of forest structure with airborne LiDAR and the effects of platform altitude. *Remote Sensing of Environment* 103:140-152.
- Goyal, S.K., M.S. Seyfried, and P.E. Oneill. 1998. Effect of digital elevation model resolution on topographic correction of airborne SAR. *International Journal of Remote Sensing* 19:3075-3096.
- Goyal, S.K., M.S. Seyfried, and P.E. Oneill. 1999. Correction of surface roughness and topographic effects on airborne SAR in mountainous rangeland areas. *Remote Sensing of Environment* 67:124-136.
- Harding, D.J., M.A. Lefsky, G.G. Parker, and J.B. Blair. 2001. Laser altimeter canopy height profiles - Methods and validation for closed-canopy, broadleaf forests. *Remote Sensing of Environment* 76:283-297.
- Hill, R.A., and A.G. Thomson. 2005. Mapping woodland species composition and structure using airborne spectral and LiDAR data. *International Journal of Remote Sensing* 26:3763-3779.
- Hinsley, S.A., R.A. Hill, D.L.A. Gaveau, and P.E. Bellamy. 2002. Quantifying woodland structure and habitat quality for birds using airborne laser scanning. *Functional Ecology* 16:851-857.
- Hinsley, S.A., R.A. Hill, P.E. Bellamy, and H. Balzter. 2006. The application of lidar in woodland bird ecology: Climate, canopy structure, and habitat quality. *Photogrammetric Engineering and Remote Sensing* 72:1399-1406.
- Hofton, M., R. Dubayah, J.B. Blair, and D. Rabine. 2006. Validation of SRTM elevations over vegetated and non-vegetated terrain using medium footprint lidar. *Photogrammetric Engineering and Remote Sensing* 72:279-285.
- Hopkinson, C., L. Chasmer, K. Lim, P. Treitz, and I. Creed. 2006. Towards a universal lidar canopy height indicator. *Canadian Journal of Remote Sensing* 32:139-152.
- Hopkinson, C., L.E. Chasmer, G. Sass, I.F. Creed, M. Sitar, W. Kalbfleisch, and P. Treitz. 2005. Vegetation class dependent errors in lidar ground elevation and canopy height estimates in a boreal wetland environment. *Canadian Journal of Remote Sensing* 31:191-206.
- Houldcroft, C.J., C.L. Campbell, I.J. Davenport, R.J. Gurney, and N. Holden. 2005. Measurement of canopy geometry characteristics using LiDAR laser altimetry: A feasibility study. *Ieee Transactions on Geoscience and Remote Sensing* 43:2270-2282.
- Hyde, P., R. Dubayah, B. Peterson, J.B. Blair, M. Hofton, C. Hunsaker, R. Knox, and W. Walker. 2005. Mapping forest structure for wildlife habitat analysis using waveform lidar: Validation of montane ecosystems. *Remote Sensing of Environment* 96:427-437.
- Hyde, P., R. Dubayah, W. Walker, J.B. Blair, M. Hofton, and C. Hunsaker. 2006. Mapping forest structure for wildlife habitat analysis using multi-sensor (LiDAR, SAR/InSAR, ETM plus , Quickbird) synergy. *Remote Sensing of Environment* 102:63-73.
- Hyde, P., R. Nelson, D. Kimes, and E. Levine. 2007. Exploring LIDAR-RaDAR synergy - predicting aboveground biomass in a southwestern ponderosa pine forest using LiDAR, SAR and InSAR. *Remote Sensing of Environment* 106:28-38.
- Kuplich, T.M., P.J. Curran, and P.M. Atkinson. 2005. Relating SAR image texture to the biomass of regenerating tropical forests. *International Journal of Remote Sensing* 26:4829-4854.

- Kurvonen, L., J. Pulliainen, and M. Hallikainen. 1999. Retrieval of biomass in boreal forests from multitemporal ERS-1 and JERS-1 SAR images. *Ieee Transactions On Geoscience and Remote Sensing* 37:198-205.
- Lefsky, M.A., W.B. Cohen, S.A. Acker, G.G. Parker, T.A. Spies, and D. Harding. 1999. Lidar remote sensing of the canopy structure and biophysical properties of Douglas-fir western hemlock forests. *Remote Sensing of Environment* 70:339-361.
- Lindenmayer A (1968). Mathematical models for cellular interaction in development I. Filaments with one-sided inputs. *Journal of Theoretical Biology* 18:280-289
- Luckman, A., J. Baker, T.M. Kuplich, C.D.F. Yanasse, and A.C. Frery. 1997a. A study of the relationship between radar backscatter and regenerating tropical forest biomass for spaceborne SAR instruments. *Remote Sensing of Environment* 60:1-13.
- Nezry, E., E. Mougin, A. Lopes, J.P. Gastelluetchegorry, and Y. Laumonier. 1993. Tropical Vegetation Mapping With Combined Visible and SAR Spaceborne Data. *International Journal of Remote Sensing* 14:2165-2184.
- Paloscia, S. 2002. A summary of experimental results to assess the contribution of SAR for mapping vegetation biomass and soil moisture. *Canadian Journal of Remote Sensing* 28:246-261.
- Papathanassiou, K.P., and S.R. Cloude. 2001. Single-baseline polarimetric SAR interferometry. *Ieee Transactions on Geoscience and Remote Sensing* 39:2352-2363.
- Prusinkiewicz P, Hanan J (1989). Lindenmayer systems, fractals, and plants. *Lecture Notes in Biomathematics Springer-Verlag:Berlin*
- Prusinkiewicz P, Lindenmayer A (1990). *The Algorithmic Beauty of Plants*. Springer-Verlag:New York
- Reutebuch, S.E., H.E. Andersen, and R.J. McGaughey. 2005. Light detection and ranging (LIDAR): An emerging tool for multiple resource inventory. *Journal of Forestry* 103:286-292.
- Sarabandi, K. 1997. Delta k-radar equivalent of interferometric SAR's: A theoretical study for determination of vegetation height. *IEEE Transactions On Geoscience and Remote Sensing* 35:1267-1276.
- Sarabandi, K., and Y.C. Lin. 2000. Simulation of interferometric SAR response for characterizing the scattering phase center statistics of forest canopies. *Ieee Transactions On Geoscience and Remote Sensing* 38:115-125.
- Sato, K., H. Yamada, and Y. Yamaguchi. 2001. Polarimetric characteristics of forest at coherent decomposition in polarimetric SAR interferometry. *Ieee Transactions on Electronics* E84C:1829-1834.
- Siebert, F., and A.A. Hoffmann. 2000. The 1998 forest fires in East Kalimantan (Indonesia): A quantitative evaluation using high resolution, multitemporal ERS-2 SAR images and NOAA-AVHRR hotspot data. *Remote Sensing of Environment* 72:64-77.
- Stebler, O., E. Meier, and D. Nuesch. 2002c. Multi-baseline polarimetric SAR interferometry - first experimental spaceborne and airborne results. *Isprs Journal of Photogrammetry and Remote Sensing* 56:149-166.
- Svoray, T., and M. Shoshany. 2003. Herbaceous biomass retrieval in habitats of complex composition: A model merging SAR images with unmixed landsat TM data. *Ieee Transactions on Geoscience and Remote Sensing* 41:1592-1601.
- Tansey, K.J., A.J. Luckman, L. Skinner, H. Balzter, T. Strozzi, and W. Wagner. 2004. Classification of forest volume resources using ERS tandem coherence and JERS backscatter data. *International Journal of Remote Sensing* 25:751-768.
- Zwally, H.J., B. Schutz, W. Abdalati, J. Abshire, C. Bentley, A. Brenner, J. Bufton, J. Dezio, D. Hancock, D. Harding, T. Herring, B. Minster, K. Quinn, S. Palm, J. Spinhirne, and R. Thomas. 2002. ICESat's laser measurements of polar ice, atmosphere, ocean, and land. *Journal of Geodynamics* 34:405-445.